


## DBMANAGER

DBMANAGER : Logiciel pour PC pour la compilation rapide des archives de la balance



The screenshot shows the DBMANAGER software interface. At the top, there is a menu bar with 'Fichier', 'Edit', and 'Paramètres'. Below the menu bar is a toolbar with icons for adding, deleting, refreshing, and searching. The main window displays a table with the following columns: ID, Description 1, Description 2, Linked tare, Linked customer, Setpoint 1, Setpoint 2, and Setpoint 3. The table contains 18 rows of data, including products like APPLE, PEAR, TOMATO, LETTUCE, PEACH, and MELON. At the bottom of the window, there is a logo for DINI ARCEO Scales - Weighing systems.

| ID | Description 1 | Description 2 | Linked tare | Linked customer | Setpoint 1 | Setpoint 2 | Setpoint 3 |
|----|---------------|---------------|-------------|-----------------|------------|------------|------------|
| 1  | APPLE         | GALA          | 2           | 0               | 1,50       | 9,50       | 11,00      |
| 2  | APPLE         | FUJI          | 2           | 0               | 1,50       | 9,50       | 11,00      |
| 3  | APPLE         | GOLDEN        | 3           | 0               | 1,50       | 9,50       | 11,00      |
| 4  | PEAR          | BOSC          | 1           | 0               | 1,20       | 8,00       | 9,50       |
| 5  | PEAR          | WILLIAMS      | 1           | 0               | 1,20       | 8,00       | 9,50       |
| 6  | PEAR          | PACOWAM       | 5           | 0               | 1,25       | 8,00       | 9,50       |
| 7  | TOMATO        | GOOSE CREEK   | 2           | 0               | 2,00       | 6,00       | 7,60       |
| 8  | TOMATO        | MEXICO        | 4           | 0               | 1,50       | 5,00       | 5,60       |
| 9  | TOMATO        | LONG TOM      | 1           | 0               | 1,50       | 5,00       | 6,50       |
| 10 | LETTUCE       | ICEBERG       | 4           | 0               | 0,50       | 2,00       | 2,55       |
| 11 | LETTUCE       | MINGONETTE    | 3           | 0               | 0,50       | 2,00       | 2,55       |
| 12 | LETTUCE       | OMIGRAF       | 2           | 0               | 0,50       | 2,00       | 2,55       |
| 13 | PEACH         | ENCORE        | 2           | 0               | 2,10       | 11,00      | 12,00      |
| 14 | PEACH         | BEDMAN        | 4           | 0               | 2,10       | 12,00      | 13,00      |
| 15 | PEACH         | CANDOR        | 3           | 0               | 2,10       | 12,50      | 13,00      |
| 16 | MELON         | GALIA         | 4           | 0               | 4,00       | 19,00      | 26,00      |
| 17 | MELON         | XIGUA         | 1           | 0               | 3,50       | 15,00      | 20,00      |
| 18 | MELON         | OGEN          | 2           | 0               | 3,50       | 15,00      | 20,00      |

Logiciel pour PC qui facilite et accélère la compilation des archives de la balance, avec la possibilité d'importer / exporter en format Excel.

La solution idéale pour  
les applications industrielles  
évoluées

## POINTS FORTS

- Configuration facile : en quelques minutes, vous pouvez programmer et transmettre des dizaines d'articles, en les gardant également dans la mémoire.
- Sécurité : vous pouvez programmer un mot de passe pour protéger les données introduites et empêcher les modifications accidentelles.
- Personnalisation : vous pouvez insérer votre logo et traduire l'interface utilisateur directement dans la langue de votre choix (fichier .ini).
- Multi balance: jusqu'à 10 balances peuvent être configurées à partir du même programme (attention: nécessite une licence multi balance, à préciser lors de la commande).
- Gestion des principaux moyens de communication : RS232, USB, Ethernet-Wifi (TCP-IP).

## FONCTIONS PRINCIPALES

- Auto-identification de l'indicateur connecté
- Champs de chaque archive configurables
- Réception / Transmission des archives
- Import / Export dans un fichier Excel

## INDICATEURS ET LOGICIELS SUPPORTES

- Indicateurs supportés :
  - 3590ET/3590ETT/3590ETB/3590ETKR/3590EGT
  - 3590EXP/3590EXT
  - CPWE
- Logiciels supportés :
  - AF01
  - AF02
  - AF03
  - AF04
  - AF05
  - AF09
  - BATCH1
  - BATCH

## CARACTERISTIQUES MINIMUM DU PC

- Pentium IV ou compatible – 256 Mb Ram
- 200 MB de mémoire libre sur disque dur
- Système d'exploitation Windows 10
- Internet explorer 6.0 SP1 ou supérieur
- Framework 4.5
- Afficheur avec résolution minimum 800x600, 256 couleurs

## **SUR DEMANDE**

- Licence pour la gestion de plusieurs balances Dini Argeo.



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE