

JB4QA

“JBQA” BOITE DE JONCTION ET EGALISATION, JUSQU'À 4 CAPTEURS



Boîte de jonction IP67 à 4 entrées, équipée d'une carte électronique pour la jonction et l'égalisation de 2, 3 ou 4 capteurs. Borniers à vis pour faciliter la liaison des capteurs et le réglage du signal, pour une égalisation précise et fiable.

Marquage :

ATEX II 2G Ex ib IIC T6 Gb pour gaz

ATEX II 2D Ex tb IIIC T115°C Db IP65 pour les poussières.

CARACTERISTIQUES TECHNIQUES

- Boîtier en ABS. Degré de protection IP67.
- Tension maximale en entrée 24Vdc.
- Courant maximal en entrée 700mA.
- Signal maximal capteur en entrée 1000mV.
- Effet de la température : 50ppm/°C.
- Dimensions (lxwxh) : 120x80x55 mm.



DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE