

JBQAI

"JBQAI" BOITE DE JONCTION INOX ATEX, JUSQU'À 4 CAPTEURS



Boîte de jonction en inox étanche IP66. Equipée d'une carte électronique pour la jonction et l'égalisation de 1, 2, 3 ou 4 capteurs. Borniers à vis pour faciliter la liaison des capteurs et le réglage du signal, pour une égalisation précise et fiable. Marquage :

ATEX II 2G Ex ib IIC T6 Gb pour gaz

ATEX II 2D Ex tb IIIC T115°C Db IP65 pour les poussières.

CARACTERISTIQUES TECHNIQUES

- Conçues et réalisées en accord avec la directive ATEX, groupe II catégorie 2GD, selon les normes IEC/EN60079-0, IEC/EN60079-11 et IEC/EN60079-31.
- Boîtier en inox.
- Presse-étoupe métalliques PG9.
- Degré de protection: IP66.
- Dimensions: 190x130x45mm (lxwxh).

NOTE: les dimensions ne sont pas compatibles pour le montage sur plateformes/pèse palettes à 4 capteurs.

PARAMETRES ATEX DE LA BOITE DE JONCTION

- $U_o = U_i = 24V_{dc}$
- $I_o = I_i = 174mA$
- $C_o = C_i = 0mF$
- $L_o = L_i = 0mH$

ou

- $U_o = U_i = 12V_{dc}$
- $I_o = I_i = 3,33A$
- $C_o = C_i = 0mF$
- $L_o = L_i = 0mH$



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE