

SBFA

"SBFA": PIEDINI IN ACCIAIO NICHELATO PER CELLE DI CARICO



Piedini snodati in acciaio nichelato con involucri in gomma antiscivolo. Ideali per la realizzazione di piattaforme a 4 celle.

La soluzione ideale per  
applicazioni industriali  
avanzate

## CARATTERISTICHE PRINCIPALI

- Applicabile a celle di carico shear beam serie SBxx.
- Studiato in particolare per l'utilizzo su piattaforme a 4 celle.
- Compatto e semplice da installare
- Regolabile in altezza.
- Costruzione in acciaio nichelato.
- Gomma antiscivolo integrata alla base del piede.
- Da abbinare a boccia BLKM121.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE