

SBFP

"SBFP": PIEDINI IN ABS PER CELLE DI CARICO



Piedini snodati in ABS con filetto in acciaio, per celle di carico SBxx. Caratterizzati dall'altezza estremamente contenuta, sono ideali per la realizzazione di piattaforme a 4 celle.

La soluzione ideale per  
applicazioni industriali  
avanzate

## CARATTERISTICHE PRINCIPALI

- Applicabile a celle di carico serie SBxx.
- Studiato in particolare per l'utilizzo su piattaforme a 4 celle.
- Compatto e semplice da installare, caratterizzato dall'altezza ridotta.
- Regolabile in altezza.
- Costruzione completamente in ABS, con filetto in acciaio
- Gomma antiscivolo integrata alla base del piede.
- Da abbinare a boccia BLKM121.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO**  
**FRANCE sarl**  
France

**DINI ARGEO**  
**GMBH**  
Germany

**DINI ARGEO**  
**UK Ltd**  
United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
China

**DINI ARGEO**  
**OCEANIA**  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE