

SBFA

"SBFA": PIEDINI IN ACCIAIO NICHELATO PER CELLE DI CARICO



Piedini snodati in acciaio nichelato con involucro in gomma antiscivolo. Ideali per la realizzazione di piattaforme a 4 celle.

La soluzione ideale per
applicazioni industriali
avanzate

CARATTERISTICHE PRINCIPALI

- Applicabile a celle di carico shear beam serie SBxx.
- Studiato in particolare per l'utilizzo su piattaforme a 4 celle.
- Compatto e semplice da installare
- Regolabile in altezza.
- Costruzione in acciaio nichelato.
- Gomma antiscivolo integrata alla base del piede.
- Da abbinare a boccola BLKM12I.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE