

SC2D

SCANNER BARCODE SERIE "SC2D"



Scanner barcode a pistola via cavo per utilizzo con indicatore di peso serie 3590 TOUCH SCREEN. Azionamento manuale tramite pulsante o automatico se installato sulla base di appoggio.

La soluzione ideale per  
applicazioni industriali  
avanzate

## Caratteristiche:

- Luce LED per identificazione zona di scansione
- Feedback con segnale acustico
- Base di supporto inclusa in dotazione per utilizzo in modalità automatica
- OTTICA: CMOS area sensor
- DIMENSIONI in mm (lxwxh): 105 x 153 x 60 mm
- PESO: 115 g
- ALIMENTAZIONE: 5 Vdc da indicatore di peso
- LUNGHEZZA CAVO: 160cm
- PROTEZIONE: IP42
- AMBIENTE DI UTILIZZO: Temperatura da 5 a 50°C, Umidità max. 90% non condensante

## Barcode supportati:

- Barcode (1D): UPC-A, UPC-E, UPC-E1, UPC-A Add-on , UPC-E Add-on, EAN-13, EAN-8, EAN-13 Add-on/EAN- 8 Add-on, JAN-8, JAN-13, Code 39, NW-7(Codabar), Industrial 2 of 5, Interleaved 2 of 5, Code 93, Code 128, GS1-128, MSI/Plessey, Code 11, OCR-B, GS1 DataBar, GS1 DataBar Limited ,GS1 DataBar Expanded, Composite GS1 DataBar, Composite GS1-128, Composite EAN, Composite UPC , TELEPEN
- Barcode (2D): PDF417, MicroPDF417, Codablock F, QR Code, Micro QR Code, DataMatrix (ECC 200), MaxiCode, Aztec Code, Chinese Sensible Code

## PARTICOLARE 1

## PARTICOLARE 2



**PARTICOLARE 3**





www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE