

SBFA

"SBFA": PIEDINI IN ACCIAIO NICHELATO PER CELLE DI CARICO



Piedini snodati in acciaio nichelato con involucri in gomma antiscivolo. Ideali per la realizzazione di piattaforme a 4 celle.

La soluzione ideale per  
applicazioni industriali  
avanzate

## CARATTERISTICHE PRINCIPALI

- Applicabile a celle di carico shear beam serie SBxx.
- Studiato in particolare per l'utilizzo su piattaforme a 4 celle.
- Compatto e semplice da installare
- Regolabile in altezza.
- Costruzione in acciaio nichelato.
- Gomma antiscivolo integrata alla base del piede.
- Da abbinare a boccia BLKM121.



[www.diniargeo.com](http://www.diniargeo.com)



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO**  
**FRANCE sarl**  
France

**DINI ARGEO**  
**GMBH**  
Germany

**DINI ARGEO**  
**UK Ltd**  
United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
China

**DINI ARGEO**  
**OCEANIA**  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE